

jaga

CLIMATE DESIGNERS

Heating 

IGUANA APLANO € 2023.EX



jaga

CLIMATE DESIGNERS

IGUANA APLANO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Aplano the slim triangular radiant pipes are placed alongside each other in a flat plane. Elegant simplicity with a frivolous touch.

Also available as "Plus" version for low flow temperatures.



Top 10
Design
Award
Winner
2000

ISH 1999
DESIGN PLUS
Sonderauszeichnung

IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

IGUANA APLANO

traffic white 333, optional towel rail






IGUANA APLANO

IGUANA APLANO

DIMENSIONS (in cm)



APLANO APLANO PLUS



L	C
30	16
41	27
52	38
63	49
74	60
85	71

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.

CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	€
	CODE.PW3.PS.1...	300
set 41	CHROME	€
	CODE.PW3.AW.1...	126
	CODE.PW3.AC.1...	143

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information


OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
Towel rail			
9087.033560	56	41-52-63-74-85	288
9087.033660	66	63-74-85	288



CODE	L	L radiator	€
Hat rack			
9087.034560	56	41-52-63-74-85	330
9087.034660	66	63-74-85	330



APLANO

code	height	length	colour	conn.
APLW .	180	030 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
030	700	349	638	764
041	954	476	831	997
052	1208	603	1029	1234
063	1463	730	1222	1467
074	1717	857	1417	1700
085	1972	984	1612	1935

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 192				
030	733	366	662	795
041	999	499	865	1038
052	1265	632	1068	1281
063	1532	766	1272	1526
074	1798	899	1474	1768
085	2065	1032	1678	2013

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 200				
030	754	377	677	813
041	1028	515	886	1065
052	1302	652	1095	1315
063	1576	789	1301	1563
074	1850	926	1512	1815
085	2124	1063	1721	2066

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 220				
030	804	403	715	859
041	1097	551	938	1126
052	1389	697	1161	1393
063	1681	844	1386	1663
074	1974	991	1610	1929
085	2266	1137	1833	2199

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 240				
030	851	428	754	906
041	1161	584	992	1191
052	1471	740	1231	1474
063	1780	896	1467	1760
074	2090	1052	1706	2045
085	2399	1208	1942	2330

IGUANA APLANO

APLANO PLUS

code	height	length	colour	conn.
APPW .	180	030 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
030	964	461	828	993
041	1314	628	1080	1297
052	1664	795	1335	1602
063	2015	963	1589	1906
074	2365	1131	1841	2211
085	2716	1298	2096	2515

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 192				
030	997	476	861	1032
041	1359	649	1125	1349
052	1721	822	1388	1664
063	2084	996	1651	1983
074	2446	1169	1917	2301
085	2809	1342	2181	2617

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 200				
030	1018	486	877	1055
041	1388	663	1152	1380
052	1758	840	1422	1710
063	2128	1017	1694	2033
074	2498	1194	1966	2361
085	2868	1370	2239	2687

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 220				
030	1070	511	930	1116
041	1460	697	1219	1463
052	1849	883	1510	1813
063	2238	1069	1802	2161
074	2627	1255	2091	2510
085	3016	1440	2383	2859

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 240				
030	1121	535	980	1175
041	1529	729	1289	1548
052	1936	924	1597	1917
063	2344	1118	1906	2288
074	2751	1312	2217	2660
085	3159	1507	2526	3030

EN442 output at 20°C room temperature



jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from January 1, 2023.
Replaces all existing price lists.